





## OVI-CV - Sgrigliatura

Il questionario permette di calcolare un punteggio totale composto dalle seguenti sottoscale relative ai sintomi DOC in bambini e adolescenti tra i 7 e i 17 anni di età:

**Doubting/checking:** Item 4 + Item 5 + Item 13 + Item 15 + Item 20

**Obsessing:** Item 1 + Item 11 + Item 14 + Item 18

**Hoarding:** Item 3 + Item 7 + Item 16

**Washing:** Item 2 + Item 10 + Item 21

**Ordering:** Item 8 + Item 17 + Item 19

**Neutralising:** Item 6 + Item 9 + Item 12

Per una valutazione dei punteggi può essere fatto riferimento alla tabella sottostante:

	<b>Italian community children and adolescents (N = 1408)</b>	
	<b>M</b>	<b>DS</b>
<b>Doubting - Checking</b>	4,02	2,15
<b>Obsessing</b>	2,92	1,97
<b>Hoarding</b>	2,49	1,47
<b>Washing</b>	1,96	1,53
<b>Ordering</b>	2,64	1,54
<b>Neutralising</b>	1,37	1,34
<b>Total</b>	18,37	10,53

### Riferimenti bibliografici

Pozza, A., Barcaccia, B., & Dèttore, D. (2017). The Obsessive Compulsive Inventory-Child Version (OCI-CV): Further Evidence on Confirmatory Factor Analytic Structure, Incremental and Criterion Validity in Italian Community Children and Adolescents. *Archives of Psychiatric Nursing*, 31, 291-295.

Foa, E., Coles, M., Huppert, J., Pasupuleti, R., Franklin, M., & March, J. (2010). Development and Validation of a Child Version of the Obsessive Compulsive Inventory. *Behavior Therapy*, 41(1), 121-132. doi: 10.1016/j.beth.2009.02.001